


FS 2.60/9:14/9

COMMUNICABLE DISEASE CENTER

Morbidity and Mortality



Vol. 14, No. 9

WEEKLY
REPORTWeek Ending
March 6, 1965

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

EPIDEMIOLOGICAL NOTES

INFLUENZA

With the spread of Type A influenza in eastern U.S. from early January 1965, 22 States have now confirmed its presence serologically, and 10 of them have recovered A₂ strain viruses as shown in the table (page 82). In a single instance, a Type B virus has been recovered from a localized outbreak in Colorado, a State where serological evidence of Type A infection has also been reported. Seven other States describe influenza-like illnesses as yet not confirmed as influenza by laboratory methods.

The epidemiological patterns in confirmed and suspect influenza outbreaks continue to be variable — in some regions moderately widespread and in others scattered

CONTENTS

Epidemiologic Notes

Influenza 81

International Notes

Influenza 82-88

and sporadic. Influenza and pneumonia mortality reported from 122 U.S. cities during the week ending March 6 shows another excursion above the "epidemic threshold" accounted for by slightly elevated totals in the Middle Atlantic, East North Central, and West South Central Divisions.


Table 1. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

(Cumulative totals include revised and delayed reports through previous weeks)

Disease	9th Week Ended		Median 1960 - 1964	Cumulative, First 9 Weeks		
	March 6, 1965	February 29, 1964		1965	1964	Median 1960 - 1964
Aseptic meningitis	29	23	23	247	231	210
Brucellosis	4	10	10	34	66	66
Diphtheria	3	-	7	31	35	106
Encephalitis, primary infectious . .	37	28	---	256	275	---
Encephalitis, post-infectious . . .	17	16	---	116	83	---
Hepatitis, infectious including serum hepatitis	710	955	1,215	7,013	8,431	10,117
Measles	9,396	12,273	13,980	70,814	71,382	86,933
Meningococcal infections	115	57	57	695	504	502
Poliomyelitis, Total	-	-	5	2	9	64
Paralytic	-	-	1	2	5	38
Nonparalytic	-	-	---	-	4	---
Unspecified	-	-	---	-	-	---
Streptococcal Sore Throat and Scarlet fever	12,068	12,024	10,643	98,125	90,321	85,433
Tetanus	5	3	---	33	41	---
Tularemia	2	8	---	38	59	---
Typhoid fever	8	3	8	61	59	66
Rabies in Animals	100	81	79	839	636	589

Table 2. NOTIFIABLE DISEASES OF LOW FREQUENCY

	Cum.		Cum.
Anthrax:	2	Rabies in Man:	-
Botulism:	-	Smallpox:	-
Leptospirosis: Hawaii - 1, Texas - 1	7	Trichinosis:	20
Malaria: New York Up-State - 1	6	Typhus-	-
Plague:	-	Murine:	2
Psittacosis:	3	Rky Mt. Spotted:	6



INFLUENZA SUMMARY - 1964-65*

State or Territory		Geographic Distribution		First Recognized	Lab. Confirmation	
		Widespread	Scattered, Sporadic		Isolation	Serology
CONFIRMED OUTBREAKS						
1964	Puerto Rico	X		August	A ₂	A
	Hawaii	X		September	B	B
	Oregon		X	October	—	A
	Maine		X	November	—	B
1965	Connecticut	X		December	A ₂	A
	New Jersey	X		January	A ₂	A
	Massachusetts	X		January	—	A
	Pennsylvania		X	January	A ₂	A
	Missouri		X	January	A ₂	A
	Maine		X	January	—	A
	New York		X	January	A ₂	A
	Vermont		X	January	—	A
	New Hampshire		X	January	—	A
	Iowa		X	January	—	A
	Michigan		X	January	A ₂	A
	Kansas		X	February	A ₂	A
	Alabama		X	February	—	A
	Texas		X	February	—	A
	Florida		X	February	—	A
	Ohio		X	February	—	A
	Wisconsin		X	February	—	A
	Colorado		X	February	B	B,A
	Washington, D. C.		X	March	A ₂	A
	Georgia		X	March	A ₂	A
	Illinois		X	March	A ₂	A
Louisiana	X		March	—	A	
INFLUENZA-LIKE ILLNESS						
1965	Mississippi		X	January	—	—
	Arkansas	X		January	—	—
	Tennessee		X	February	—	—
	North Carolina		X	February	—	—
	Oklahoma	X		February	—	—
	South Carolina		X	February	—	—
	Virginia		X	March	—	—

* Based on State Reports.

INTERNATIONAL NOTES - INFLUENZA



EUROPE

Czechoslovakia, Spain, Denmark and Switzerland

No outbreaks of an influenza-like illness have been reported up to February 23, 1965.

Austria

(Information on March 2, 1965). — A moderate rise in the frequency of mild respiratory illnesses has been observed during the last fortnight. No case of influenza virus has been confirmed. (Continued on page 88)



MARCH 6, 1965 AND FEBRUARY 29, 1964 (9th Week)

[illegible]

Morbidity and Mortality Weekly Report

85

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
MARCH 6, 1965 AND FEBRUARY 29, 1964 (9th Week) - CONTINUED

Area	Brucel- losis	Infectious Hepatitis including Serum Hepatitis					Meningococcal Infections			Tetanus	
		Total incl. unk.	Under 20 years	20 years and over	Cumulative Totals		1965	Cumulative		1965	Cum.
		1965	1965	1965	1965	1964		1965	1964		1965
UNITED STATES...	4	710	387	293	7,013	8,431	115	695	504	5	33
NEW ENGLAND.....	-	38	20	17	417	1,015	2	35	14	1	2
Maine.....	-	9	7	2	96	368	-	5	1	-	-
New Hampshire.....	-	-	-	-	36	97	-	1	-	-	1
Vermont.....	-	1	-	-	32	115	-	-	-	-	-
Massachusetts.....	-	13	5	8	137	187	1	15	6	1	1
Rhode Island.....	-	4	-	4	45	42	1	5	2	-	-
Connecticut.....	-	11	8	3	71	206	-	9	5	-	-
MIDDLE ATLANTIC.....	-	126	62	64	1,261	1,876	26	111	58	-	1
New York City.....	-	23	7	16	209	252	4	17	9	-	-
New York, Up-State.....	-	63	39	24	609	906	8	28	18	-	1
New Jersey.....	-	15	6	9	152	280	4	37	14	-	-
Pennsylvania.....	-	25	10	15	291	438	10	29	17	-	-
EAST NORTH CENTRAL...	-	128	78	46	1,395	1,245	5	77	81	-	-
Ohio.....	-	55	40	14	462	347	1	22	25	-	-
Indiana.....	-	14	10	4	115	90	-	8	10	-	-
Illinois.....	-	14	4	9	249	201	1	18	17	-	-
Michigan.....	-	41	22	18	500	552	1	17	24	-	-
Wisconsin.....	-	4	2	1	69	55	2	12	5	-	-
WEST NORTH CENTRAL...	2	45	22	20	457	543	9	34	21	-	2
Minnesota.....	-	4	-	3	39	32	5	9	5	-	1
Iowa.....	-	13	5	6	193	84	1	1	1	-	-
Missouri.....	2	8	4	4	84	129	1	15	8	-	1
North Dakota.....	-	2	-	2	5	29	-	3	3	-	-
South Dakota.....	-	-	-	-	6	65	1	2	-	-	-
Nebraska.....	-	-	-	-	11	16	-	-	1	-	-
Kansas.....	-	18	13	5	119	188	1	4	3	-	-
SOUTH ATLANTIC.....	-	78	47	26	737	796	19	139	115	1	10
Delaware.....	-	4	2	2	31	14	1	3	1	-	-
Maryland.....	-	9	8	1	168	135	2	8	11	-	1
Dist. of Columbia..	-	1	-	1	7	15	-	3	2	-	-
Virginia.....	-	30	18	8	134	113	2	19	9	-	1
West Virginia.....	-	12	11	1	143	141	-	10	10	-	-
North Carolina.....	-	6	2	4	72	163	3	25	12	-	1
South Carolina.....	-	1	-	-	26	27	3	18	13	-	-
Georgia.....	-	2	1	1	33	12	1	22	10	-	3
Florida.....	-	13	5	8	123	176	7	31	47	1	4
EAST SOUTH CENTRAL...	1	54	34	20	540	569	6	34	41	-	7
Kentucky.....	-	14	9	5	187	276	3	11	8	-	1
Tennessee.....	-	26	19	7	219	192	2	14	20	-	3
Alabama.....	1	9	4	5	85	69	-	7	7	-	2
Mississippi.....	-	5	2	3	49	32	1	2	6	-	1
WEST SOUTH CENTRAL...	1	53	30	22	656	572	23	92	68	1	6
Arkansas.....	-	4	1	3	99	73	1	7	4	-	1
Louisiana.....	1	11	5	6	112	103	14	41	26	1	2
Oklahoma.....	-	3	2	1	29	35	1	10	3	-	-
Texas.....	-	35	22	12	416	361	7	34	35	-	3
MOUNTAIN.....	-	50	23	12	382	540	7	40	25	-	1
Montana.....	-	8	4	4	43	53	-	-	-	-	-
Idaho.....	-	3	-	-	54	46	-	4	1	-	-
Wyoming.....	-	1	-	1	24	24	-	1	1	-	-
Colorado.....	-	14	12	2	54	139	1	8	6	-	1
New Mexico.....	-	8	3	1	66	94	1	10	10	-	-
Arizona.....	-	7	-	-	83	116	5	11	2	-	-
Utah.....	-	8	4	4	53	58	-	4	1	-	-
Nevada.....	-	1	-	-	5	10	-	2	4	-	-
PACIFIC.....	-	138	71	66	1,168	1,275	18	133	81	2	4
Washington.....	-	5	3	2	99	141	-	7	6	-	-
Oregon.....	-	12	6	6	95	154	3	11	4	-	-
California.....	-	110	57	53	877	903	14	113	66	2	4
Alaska.....	-	11	5	5	89	44	-	1	2	-	-
Hawaii.....	-	-	-	-	8	33	1	1	3	-	-
Puerto Rico	-	28	22	6	140	117	-	2	8	-	7

Morbidity and Mortality Weekly Report

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
MARCH 6, 1965 AND FEBRUARY 29, 1964 (9th Week) - CONTINUED

Area	Measles			Strept. Sore Th. & Scarlet Fev.	Tularemia		Typhoid Fever		Rabies in Animals	
	1965	Cumulative			1965	Cum. 1965	1965	Cum. 1965	1965	Cum. 1965
		1965	1964							
UNITED STATES...	9,396	70,814	71,382	12,068	2	38	8	61	100	839
NEW ENGLAND.....	1,602	15,764	3,837	1,394	-	-	1	1	1	11
Maine.....	71	1,540	531	121	-	-	-	-	-	-
New Hampshire.....	21	235	28	27	-	-	-	-	-	-
Vermont.....	31	150	1,064	34	-	-	-	-	1	10
Massachusetts.....	829	9,068	669	127	-	-	1	1	-	-
Rhode Island.....	226	2,003	249	50	-	-	-	-	-	-
Connecticut.....	424	2,768	1,296	1,035	-	-	-	-	-	1
MIDDLE ATLANTIC.....	393	2,561	12,475	598	-	-	2	7	4	24
New York City.....	29	275	4,498	26	-	-	2	5	-	-
New York, Up-State.....	145	852	2,510	409	-	-	-	2	4	22
New Jersey.....	72	451	2,801	76	-	-	-	-	-	-
Pennsylvania.....	147	983	2,666	87	-	-	-	-	-	2
EAST NORTH CENTRAL...	1,052	11,955	15,370	1,283	-	-	-	7	4	45
Ohio.....	195	2,475	2,505	183	-	-	-	2	-	-
Indiana.....	156	607	3,294	187	-	-	-	2	-	7
Illinois.....	39	359	3,818	244	-	-	-	1	3	11
Michigan.....	405	6,154	4,256	300	-	-	-	1	-	10
Wisconsin.....	257	2,360	1,497	369	-	-	-	1	1	17
WEST NORTH CENTRAL...	689	5,643	1,787	601	-	3	-	3	15	147
Minnesota.....	17	140	75	11	-	-	-	-	1	38
Iowa.....	275	3,064	740	135	-	-	-	-	8	51
Missouri.....	132	717	191	4	-	2	-	3	4	22
North Dakota.....	231	1,547	770	285	-	-	-	-	-	7
South Dakota.....	22	47	3	31	-	-	-	-	1	8
Nebraska.....	12	128	8	-	-	-	-	-	-	5
Kansas.....	NN	NN	NN	135	-	1	-	-	1	16
SOUTH ATLANTIC.....	1,247	9,836	6,770	1,395	-	12	-	16	16	134
Delaware.....	69	191	80	-	-	-	-	2	-	-
Maryland.....	57	334	1,059	369	-	-	-	6	-	2
Dist. of Columbia..	2	12	138	22	-	-	-	-	-	-
Virginia.....	105	1,255	1,498	317	-	3	-	2	13	112
West Virginia.....	823	6,881	1,978	467	-	-	-	1	-	2
North Carolina.....	9	127	279	22	-	2	-	4	-	-
South Carolina.....	24	178	1,113	38	-	2	-	1	-	-
Georgia.....	71	270	105	34	-	5	-	-	3	12
Florida.....	87	588	520	126	-	-	-	-	-	6
EAST SOUTH CENTRAL...	547	3,756	9,720	1,818	1	10	2	5	31	296
Kentucky.....	6	273	4,851	153	1	2	2	2	2	17
Tennessee.....	309	2,359	4,027	1,430	-	7	-	2	29	273
Alabama.....	175	829	211	81	-	1	-	1	-	6
Mississippi.....	57	295	631	154	-	-	-	-	-	-
WEST SOUTH CENTRAL...	1,813	8,958	7,940	973	-	8	1	10	20	123
Arkansas.....	9	629	214	3	-	4	1	4	1	22
Louisiana.....	4	21	27	1	-	1	-	2	4	31
Oklahoma.....	12	58	66	90	-	3	-	1	4	22
Texas.....	1,788	8,250	7,633	879	-	-	-	3	11	48
MOUNTAIN.....	960	5,905	3,216	1,880	1	5	2	10	2	19
Montana.....	162	1,746	773	48	1	1	-	-	1	3
Idaho.....	154	918	456	153	-	-	-	-	-	-
Wyoming.....	50	176	17	30	-	-	-	1	-	-
Colorado.....	212	910	350	1,004	-	-	-	-	-	-
New Mexico.....	26	125	81	236	-	-	2	6	-	-
Arizona.....	38	174	1,167	157	-	-	-	3	1	16
Utah.....	295	1,808	228	250	-	4	-	-	-	-
Nevada.....	23	48	144	2	-	-	-	-	-	-
PACIFIC.....	1,093	6,436	10,267	2,126	-	-	-	2	7	40
Washington.....	349	2,042	3,951	321	-	-	-	-	-	-
Oregon.....	121	1,034	1,176	32	-	-	-	-	-	1
California.....	524	2,666	4,351	1,631	-	-	-	1	7	39
Alaska.....	9	65	720	27	-	-	-	-	-	-
Hawaii.....	90	629	69	115	-	-	-	1	-	-
Puerto Rico	55	297	841	14	-	-	-	-	-	1

Morbidity and Mortality Weekly Report


87

Week No. 9 Table 4. DEATHS IN 122 UNITED STATES CITIES FOR WEEK ENDED MARCH 6, 1965
9

(By place of occurrence and week of filing certificate. Excludes fetal deaths)

Area	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes	Area	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes
	All Ages	65 years and over				All Ages	65 years and over		
NEW ENGLAND:	718	467	49	25	SOUTH ATLANTIC:	1,303	676	66	71
Boston, Mass.-----	197	117	6	6	Atlanta, Ga.-----	145	64	3	15
Bridgeport, Conn.-----	52	38	6	3	Baltimore, Md.-----	281	152	14	19
Cambridge, Mass.-----	34	26	-	1	Charlotte, N. C.-----	39	19	1	2
Fall River, Mass.-----	32	26	4	1	Jacksonville, Fla.-----	74	33	2	4
Hartford, Conn.-----	41	24	2	1	Miami, Fla.-----	103	60	2	3
Lowell, Mass.-----	22	18	3	-	Norfolk, Va.-----	57	25	1	2
Lynn, Mass.-----	24	15	1	2	Richmond, Va.-----	101	52	3	6
New Bedford, Mass.-----	27	18	1	-	Savannah, Ga.-----	44	22	5	1
New Haven, Conn.-----	44	24	2	2	St. Petersburg, Fla.-----	107	83	10	1
Providence, R. I.-----	71	44	5	4	Tampa, Fla.-----	114	59	12	4
Somerville, Mass.-----	15	13	-	-	Washington, D. C.-----	192	85	13	9
Springfield, Mass.-----	57	37	3	1	Wilmington, Del.-----	46	22	-	5
Waterbury, Conn.-----	35	24	3	2					
Worcester, Mass.-----	67	43	13	2	EAST SOUTH CENTRAL:	660	348	44	37
MIDDLE ATLANTIC:	3,420	2,026	192	164	Birmingham, Ala.-----	115	52	1	7
Albany, N. Y.-----	42	28	1	-	Chattanooga, Tenn.-----	58	27	7	1
Allentown, Pa.-----	47	22	4	-	Knoxville, Tenn.-----	41	19	-	4
Buffalo, N. Y.-----	123	65	4	10	Louisville, Ky.-----	134	78	13	6
Camden, N. J.-----	40	22	3	1	Memphis, Tenn.-----	132	66	9	11
Elizabeth, N. J.-----	23	13	1	2	Mobile, Ala.-----	48	30	4	3
Erie, Pa.-----	48	28	1	2	Montgomery, Ala.-----	46	24	4	2
Jersey City, N. J.-----	92	52	12	5	Nashville, Tenn.-----	86	52	6	3
Newark, N. J.-----	104	58	7	4	WEST SOUTH CENTRAL:	1,332	675	76	109
New York City, N. Y.-----	1,758	1,043	82	91	Austin, Tex.-----	35	23	5	3
Paterson, N. J.-----	38	17	5	8	Baton Rouge, La.-----	34	16	4	6
Philadelphia, Pa.-----	513	322	21	9	Corpus Christi, Tex.-----	42	20	2	2
Pittsburgh, Pa.-----	218	121	22	13	Dallas, Tex.-----	170	92	7	15
Reading, Pa.-----	52	38	3	-	El Paso, Tex.-----	44	25	5	3
Rochester, N. Y.-----	94	61	18	6	Fort Worth, Tex.-----	109	62	8	13
Schenectady, N. Y.-----	28	16	1	-	Houston, Tex.-----	259	109	7	12
Scranton, Pa.-----	28	20	1	1	Little Rock, Ark.-----	71	35	3	14
Syracuse, N. Y.-----	68	41	-	5	New Orleans, La.-----	214	96	6	16
Trenton, N. J.-----	37	21	1	4	Oklahoma City, Okla.-----	95	56	5	2
Utica, N. Y.-----	37	24	5	3	San Antonio, Tex.-----	132	69	11	13
Yonkers, N. Y.-----	30	14	-	-	Shreveport, La.-----	68	37	7	6
EAST NORTH CENTRAL:	3,091	1,770	154	177	Tulsa, Okla.-----	59	35	6	4
Akron, Ohio-----	70	36	3	2	MOUNTAIN:	445	253	21	13
Canton, Ohio-----	51	26	4	6	Albuquerque, N. Mex.-----	32	21	2	1
Chicago, Ill.-----	911	518	50	58	Colorado Springs, Colo.-----	23	13	1	2
Cincinnati, Ohio-----	197	118	8	6	Denver, Colo.-----	130	79	8	2
Cleveland, Ohio-----	243	136	6	15	Ogden, Utah-----	20	11	2	-
Columbus, Ohio-----	146	84	8	10	Phoenix, Ariz.-----	102	47	4	2
Dayton, Ohio-----	89	46	5	6	Pueblo, Colo.-----	19	11	1	1
Detroit, Mich.-----	473	267	32	23	Salt Lake City, Utah-----	57	30	-	4
Evansville, Ind.-----	43	31	3	2	Tucson, Ariz.-----	62	41	3	1
Flint, Mich.-----	60	31	4	11	PACIFIC:	1,791	1,068	71	88
Fort Wayne, Ind.-----	66	41	1	1	Berkeley, Calif.-----	19	13	-	-
Gary, Ind.-----	29	10	3	3	Fresno, Calif.-----	49	31	2	4
Grand Rapids, Mich.-----	48	32	3	2	Glendale, Calif.-----	48	36	-	-
Indianapolis, Ind.-----	188	95	9	12	Honolulu, Hawaii-----	47	24	1	5
Madison, Wis.-----	44	24	-	7	Long Beach, Calif.-----	55	43	-	1
Milwaukee, Wis.-----	128	81	4	2	Los Angeles, Calif.-----	639	359	37	34
Peoria, Ill.-----	36	23	2	4	Oakland, Calif.-----	91	59	2	2
Rockford, Ill.-----	29	15	1	1	Pasadena, Calif.-----	43	31	-	1
South Bend, Ind.-----	44	31	4	2	Portland, Oreg.-----	126	75	7	5
Toledo, Ohio-----	130	83	2	2	Sacramento, Calif.-----	75	45	2	4
Youngstown, Ohio-----	66	42	2	2	San Diego, Calif.-----	95	51	4	10
WEST NORTH CENTRAL:	947	578	54	49	San Francisco, Calif.-----	220	124	4	11
Des Moines, Iowa-----	71	53	6	1	San Jose, Calif.-----	51	28	7	4
Duluth, Minn.-----	32	17	-	2	Seattle, Wash.-----	151	101	4	3
Kansas City, Kans.-----	40	22	6	4	Spokane, Wash.-----	41	22	-	1
Kansas City, Mo.-----	147	92	8	6	Tacoma, Wash.-----	41	26	1	3
Lincoln, Nebr.-----	29	22	6	2	Total	13,707	7,861	727	733
Minneapolis, Minn.-----	137	69	2	8	Cumulative Totals				
Omaha, Nebr.-----	78	51	-	4	including reported corrections for previous weeks				
St. Louis, Mo.-----	301	190	18	14	All Causes, All Ages -----	122,324			
St. Paul, Minn.-----	74	42	2	6	All Causes, Age 65 and over-----	69,978			
Wichita, Kans.-----	38	20	6	2	Pneumonia and Influenza, All Ages-----	6,064			
					All Causes, Under 1 Year of Age-----	7,179			

*Estimate - based on average percent of divisional total.



INTERNATIONAL NOTES - INFLUENZA - Continued

France

(Information on February 23, 1965). - Serological evidence of infection with virus A has been obtained in epidemic foci in Guéret (Creuse Department) and in Brive (Corrèze), as well as in cases in Bourg-en-Bresse (Ain) and in Toulon (Var). Influenza-like illness has also been reported at the Niort Hospice (Deux-Sèvres).

Netherlands

(Information on March 2, 1965). - In the second half of February, influenza B virus has been isolated from one patient and serological evidence of influenza B has been obtained in 3 others. Influenza A₂ virus has been isolated from one patient in an outbreak of clinical influenza on a Swedish ship in Rotterdam. There is no evidence of epidemic influenza in the civilian population.

Sweden

(Information on February 26, 1965). - Since the beginning of February between 800 and 1000 cases of influenza-like disease have been observed in Stockholm and northern Sweden where the incidence appears to be decreasing already. Serological evidence of influenza A has been obtained in 4 cases and a hemagglutinating agent, preliminary identified as influenza A₂ virus, has been isolated from a patient recently arrived from Finland. During the last week 2 minor outbreaks of clinical influenza have been reported from military units in Stockholm and from a boarding school in northern Sweden. There is, as yet, no evidence of an epidemic spread of the disease.

(Reported in the Weekly Epidemiological Record of the World Health Organization, March 5, 1965.)

THE MORBIDITY AND MORTALITY WEEKLY REPORT, WITH A CIRCULATION OF 13,000 IS PUBLISHED BY THE COMMUNICABLE DISEASE CENTER, ATLANTA, GEORGIA 30333.

CHIEF, COMMUNICABLE DISEASE CENTER	JAMES L. GORDON, M.D.
CHIEF, EPIDEMIOLOGY BRANCH	A. D. LANGMUIR, M.D.
CHIEF, STATISTICS SECTION	R. E. SERFLING, PH.D.
ASST. CHIEF, STATISTICS SECTION	IDA L. SHERMAN, M.S.
CHIEF, SURVEILLANCE SECTION	D. A. HENDERSON, M.D.
ASSISTANT EDITOR, MMWR	PAUL D. STOLLEY, M.D.

IN ADDITION TO THE ESTABLISHED PROCEDURES FOR REPORTING MORBIDITY AND MORTALITY, THE COMMUNICABLE DISEASE CENTER WELCOMES ACCOUNTS OF INTERESTING OUTBREAKS OR CASES, SUCH ACCOUNTS SHOULD BE ADDRESSED TO:


THE EDITOR
MORBIDITY AND MORTALITY WEEKLY REPORT
COMMUNICABLE DISEASE CENTER
ATLANTA, GEORGIA 30333

NOTE: THESE PROVISIONAL DATA ARE BASED ON WEEKLY TELEGRAMS TO THE CDC BY THE INDIVIDUAL STATE HEALTH DEPARTMENTS. THE REPORTING WEEK CONCLUDES ON SATURDAY; COMPILED DATA ON A NATIONAL BASIS ARE RELEASED ON THE SUCCEEDING FRIDAY.

SYMBOLS:---DATA NOT AVAILABLE
- QUANTITY ZERO

THE CONSTRUCTION OF THE MORTALITY CURVES IS DESCRIBED IN VOL. 14, NO. 1.

U. S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
Communicable Disease Center
Atlanta, Georgia 30333
Official Business



POSTAGE AND FEES PAID
U. S. DEPARTMENT OF H. E. W.